SCREENFLEX Commercial Edition Portable Room Dividers

CFSL607-DG

A

CFSL609-DR

1

CFSL6013-DS

DIVIDE AND CONQUER

Screenflex Room Dividers are the key...



FLEXIBLE SPACE MANAGEMENT

...to many space solutions



INNOVATIVE EXCLUSIVE FEATURES

SOUND ABSORBING

Each panel is constructed using a 1/2" closed cell honeycomb core covered with two layers of fiberglass insulation on each side for maximum sound absorption.



TACKABLE PANELS Tack, pin or staple items directly onto the panels.

LOCKING CORNER CASTERS Pedal activated brakes on end casters keep the divider secure and stable.













divider keep the panels securely in place while moving or when closed for storage.

STANDARD/MULTI-PURPOSE

Our best-selling divider provides the flexibility to divide rooms, display material, and absorb sound. With tackable panels and exceptional stability, the Standard divider is the solution for most customer needs. The dividers arrive fully assembled and nest together for compact storage.

Screenflex Standard Dividers help solve space, time and budget problems every day in tens of thousands of facilities across the globe. Please contact your dealer for additional information on which of our 36 sizes, 17 fabric and 8 vinyl colors are best to meet your needs.




BEST SELLEF




6 Heights | 6 Lengths | 17 Fabric / 8 Vinyl Colors

| | | HEIGHT | | | | | |
|--------------------|----------|----------|----------|----------|----------|----------|--|
| LENGTH | 4'-0" | 5'-0" | 6'-0" | 6'-8" | 7'-4" | 8'-0" | |
| 5'-9" | CFSL403 | CFSL503 | CFSL603 | CFSL683 | CFSL743 | CFSL803 | |
| (3 Panel Divider) | 72 lbs. | 79 lbs. | 86 lbs. | 90 lbs. | 99 lbs. | 104 lbs. | |
| 9'-5" | CFSL405 | CFSL505 | CFSL605 | CFSL685 | CFSL745 | CFSL805 | |
| (5 Panel Divider) | 87 lbs. | 97 lbs. | 107 lbs. | 111 lbs. | 121 lbs. | 128 lbs. | |
| 13'-1" | CFSL407 | CFSL507 | CFSL607 | CFSL687 | CFSL747 | CFSL807 | |
| (7 Panel Divider) | 102 lbs. | 115 lbs. | 128 lbs. | 132 lbs. | 143 lbs. | 152 lbs. | |
| 16'-9" | CFSL409 | CFSL509 | CFSL609 | CFSL689 | CFSL749 | CFSL809 | |
| (9 Panel Divider) | 117 lbs. | 133 lbs. | 149 lbs. | 153 lbs. | 165 lbs. | 176 lbs. | |
| 20'-5" | CFSL4011 | CFSL5011 | CFSL6011 | CFSL6811 | CFSL7411 | CFSL8011 | |
| (11 Panel Divider) | 132 lbs. | 151 lbs. | 170 lbs. | 174 lbs. | 187 lbs. | 200 lbs. | |
| 24'-1" | CFSL4013 | CFSL5013 | CFSL6013 | CFSL6813 | CFSL7413 | CFSL8013 | |
| (13 Panel Divider) | 147 lbs. | 169 lbs. | 191 lbs. | 195 lbs. | 209 lbs. | 224 lbs. | |



HEAVY DUTY

Perfect for industrial and commercial use, these dividers provide durability and functionality in hospitality, airport, arena and other rigorous environments. Extra features and more robust construction ensure flawless operation for years of use.



| LENGTH | neigh i | | |
|--------------------|----------|----------|--|
| LENGIA | 6'-0" | 7'-4" | |
| 5'-9" | HFSL603 | HFSL743 | |
| (3 Panel Divider) | 105 lbs. | 122 lbs. | |
| 9'-5" | HFSL605 | HFSL745 | |
| (5 Panel Divider) | 125 lbs. | 144 lbs. | |
| 13'-1" | HFSL607 | HFSL747 | |
| (7 Panel Divider) | 145 lbs. | 166 lbs. | |
| 16'-9" | HFSL609 | HFSL749 | |
| (9 Panel Divider) | 165 lbs. | 188 lbs. | |
| 20'-5" | HFSL6011 | HFSL7411 | |
| (11 Panel Divider) | 185 lbs. | 210 lbs. | |
| 24'-1" | HFSL6013 | HFSL7413 | |
| (13 Panel Divider) | 205 lbs. | 232 lbs. | |



6 Heights | 6 Lengths | 17 Fabric / 8 Vinyl Colors

WALLmount

Divide rooms and add structure to any given space with the WALLmount divider. This divider attaches to a wall at one end and opens into the room with ease. The panels fold flat against the wall when stored.





LEFT / RIGHT ORIENTATION












| LENGTH | | | HEI | GHT | | |
|--------------------|--------------|--------------|--------------|--------------|--------------|--------------|
| LENGTH | 4'-0" | 5'-0" | 6'-0" | 6'-8" | 7'-4" | 8'-0" |
| 5'-6" | CWM(L/R)403 | CWM(L/R)503 | CWM(L/R)603 | CWM(L/R)683 | CWM(L/R)743 | CWM(L/R)803 |
| (3 Panel Divider) | 41 lbs. | 50 lbs. | 54 lbs. | 65 lbs. | 71 lbs. | 99 lbs. |
| 9'-2" | CWM(L/R)405 | CWM(L/R)505 | CWM(L/R)605 | CWM(L/R)685 | CWM(L/R)745 | CWM(L/R)805 |
| (5 Panel Divider) | 55 lbs. | 67 lbs. | 74 lbs. | 86 lbs. | 93 lbs. | 122 lbs. |
| 12'-10" | CWM(L/R)407 | CWM(L/R)507 | CWM(L/R)607 | CWM(L/R)687 | CWM(L/R)747 | CWM(L/R)807 |
| (7 Panel Divider) | 69 lbs. | 84 lbs. | 94 lbs. | 107 lbs. | 135 lbs. | 145 lbs. |
| 16'-6" | CWM(L/R)409 | CWM(L/R)509 | CWM(L/R)609 | CWM(L/R)689 | CWM(L/R)749 | CWM(L/R)809 |
| (9 Panel Divider) | 83 lbs. | 101 lbs. | 114 lbs. | 148 lbs. | 157 lbs. | 168 lbs. |
| 20'-2" | CWM(L/R)4011 | CWM(L/R)5011 | CWM(L/R)6011 | CWM(L/R)6811 | CWM(L/R)7411 | CWM(L/R)8011 |
| (11 Panel Divider) | 97 lbs. | 118 lbs. | 154 lbs. | 169 lbs. | 179 lbs. | 191 lbs. |
| 23'-10" | CWM(L/R)4013 | CWM(L/R)5013 | CWM(L/R)6013 | CWM(L/R)6813 | CWM(L/R)7413 | CWM(L/R)8013 |
| (13 Panel Divider) | 111 lbs. | 135 lbs. | 174 lbs. | 190 lbs. | 201 lbs. | 214 lbs. |

LIGHT DUTY

Screenflex quality and versatility in a light weight divider. This cost effective solution is ideal for home or light duty scenarios. Divider glides effortlessly into position on ball-bearing casters.



3 Heights | 6 Lengths | Black Fire Barrier Fabric

FIRE RESISTANT

Screenflex Fire Resistant Screens provide the perfect solution for creating a safe welding and grinding environment. The all-steel frame plus Sandel[™] Fire Barrier fabric means these Class A fire-rated dividers stand up to sparks from welding and grinding.

| | LENGTH | HEIGHT | | | |
|-------------------------|--------------------|-------------|-------------|-------------|--|
| | LENGTH | 6'-0" | 6'-8" | 7'-4" | |
| CFSL6013-WX | 5'-9" | CFSL603-WX | CFSL683-WX | CFSL743-WX | |
| | (3 Panel Divider) | 86 lbs. | 90 lbs. | 99 lbs. | |
| | 9'-5" | CFSL605-WX | CFSL685-WX | CFSL745-WX | |
| | (5 Panel Divider) | 107 lbs. | 111 lbs. | 121 lbs. | |
| | 13'-1" | CFSL607-WX | CFSL687-WX | CFSL747-WX | |
| | (7 Panel Divider) | 128 lbs. | 132 lbs. | 143 lbs. | |
| | 16'-9" | CFSL609-WX | CFSL689-WX | CFSL749-WX | |
| | (9 Panel Divider) | 149 lbs. | 153 lbs. | 165 lbs. | |
| | 20'-5" | CFSL6011-WX | CFSL6811-WX | CFSL7411-WX | |
| | (11 Panel Divider) | 170 lbs. | 174 lbs. | 187 lbs. | |
| | 24'-1" | CFSL6013-WX | CFSL6813-WX | CFSL7413-WX | |
| The Fire Barrier Fabric | (13 Panel Divider) | 191 lbs. | 195 lbs. | 209 lbs. | |

1 Height | 2 Lengths | 17 Fabric / 8 Vinyl Colors

HEALTHFLEX

The Healthflex divider provides privacy in hospitals and other medical facilities. A factory applied antimicrobial coating protects the panels from the spread of germs.





DISPLAY TOWER

2 Heights | 3 or 6 Panel | 17 Fabric Colors

Tack, pin or staple artwork, flyers or other instructional material directly onto the sleek and versatile three or six-panel Display Tower. With up to 136 sq. ft. of display area, the Display Tower is a great addition to any lobby, conference room or exhibit.








Panelocks Top and Bottom

Tackable Panels

| PANELS | HEI | DISPLAY AREA | |
|---------|---------|--------------|----------------------------|
| PRINELS | 5'-9" | 6'-5" | |
| 3 | CDS603 | CDS683 | Up To 68 sq ft. |
| | 35 lbs. | 40 lbs. | |
| 6 | CDS606 | CDS686 | Up To 136 sq ft. |
| | 60 lbs. | 65 lbs. | |





ACCOUSTICAL WALL PANEL

2 Depths | 6 Sizes | 17 Fabric Colors

Dampen the sound in any room with these sound absorbing, tackable panels. Use tacks, pins or staples to adhere items onto the panels.




VPS60

Choose a Vertical or Horizontal Hanging Option

| VERTICAL | HEIGHT | | | | | |
|-------------|--------|--------|--------|--------|--------|--------|
| [x 22" W] | 42" | 54" | 66" | 74" | 82" | 90" |
| 3/4" Depth | WPS40 | WPS50 | WPS60 | WPS68 | WPS74 | WPS80 |
| 11/2" Depth | WPD40 | WPD50 | WPD60 | WPD68 | WPD74 | WPD80 |
| Horizontal | LENGTH | | | | | |
| [x 22" H] | 42" | 54" | 66" | 74" | 82" | 90" |
| 3/4" Depth | WPSH40 | WPSH50 | WPSH60 | WPSH68 | WPSH74 | WPSH80 |
| 11/2" Depth | WPDH40 | WPDH50 | WPDH60 | WPDH68 | WPDH74 | WPDH80 |


DRY ERASE/TACKABLE



CLEAR DIVIDER

1 Height | 2 Lengths | Clear Acrylic

This movable clear acrylic divider provides **division with vision.** The 3/16" acrylic see-through panels are wet erase compatible. Use the optional Multi-Unit Connector to secure clear or fabric dividers together to create a longer wall.



WHITEBOARD

1 Height | 2 Lengths | Dry Erase Surface

Whiteboard Dividers are ideal for creating collaborative spaces in schools and offices while creating privacy within your area. A white non-porous, stain resistant dry erase surface covers both sides of each divider panel to offer plenty of writable surface. The movable whiteboard is lightweight and easily rolls on self-leveling casters. Add a Multi-Unit Connector to your Whiteboard Divider to join with other Screenflex Room Dividers to create longer lengths.

| A gran | | | CRDW3 |
|---|----|-------------------|-----------------|
| - And | | 9 | |
| | | LENGTH | HEIGHT 6'-2" |
| | | 3'-4" | CRDW1 |
| | 18 | (1 Panel Divider) | 55 lbs. |
| | | 10'-0" | CRDW3 |
| | | (3 Panel Divider) | 120 lbs. |

DIVIDER OPTIONS

Multi-Unit Connector



Need a longer divider? Affix chrome plated latches to the end frame of most Screenflex Room Dividers to secure units together, end-to-end, for longer partitions. The connector can also be used to connect Clear Dividers.

Multi-Unit Connector GL

One Set Per Divider Chrome Plated


Dry Erase Panels



Convert any Screenflex panel into a wet erase panel with bright white material that can be written on and wiped clean over and over again.

| 3 5 7 9 11 13 DE40 DE50 DE60 DE68 DE74 DE80 | | | HEI | GHT | | | Installed in Place of Fabric Panel |
|---|------|------|------|------|------|------|---------------------------------------|
| | 3 | 5 | 7 | 9 | 11 | 13 | |
| | DE40 | DE50 | DE60 | DE68 | DE74 | DE80 | |

DIVIDER OPTIONS



The optional hanging Markerboard hooks over the top of most room dividers. The included straps are adjustable for several mounting options. Surface is 1/4" thick and is dry erase compatible.

| Markerboard | 36" H X 42" L |
|-------------|-------------------|
| | Melamine Surface |
| MBF | Brackets Included |


Windows



Factory installed windows are available in three sizes. Some restrictions apply.

| | | | Available Sizes |
|-----------|-------------|-----------|-----------------|
| | WINDOW SIZE | | 10" x 10" |
| 10" x 10" | 20" x 24" | 20" x 48" | 20" x 24" |
| WD-KIT | WD-KIT-M | WD-KIT-L | 20" x 48" |

Door



This swing-style door opens from either direction and is held open by an industrial magnet. An optional window may be added if desired. A door panel adds 24" of length to the end of the divider.



Artwork Hanger



Each 45" metal Artwork Hanger has eight pre-formed stamped hooks that provide light-weight support. Use to hang items or materials not suitable for pinning. Weight restrictions apply.

Artwork Hanger AHC 8 Hooks 5" Apart

Wall Frame



Once installed on a wall, this innovative option converts movable dividers and door panels into a semi-permanent installation.


Mounting Hardware Included

| WALL FRAME HEIGHT | | | | | | |
|-------------------|-------|-------|-------|--|--|--|
| 6'-0" | 6'-8" | 7'-4" | 8'-0" | | | |
| WF60 | WF68 | WF74 | WF80 | | | |

14

DIVIDER OPTIONS







Logo/Mural Printing

Customize the look of Screenflex room dividers with a logo or full-size mural. Images can be placed onto any number of panels.

Standard Model Product Specifications

- Panels Consist of a ¹/₂" Closed Cell Honeycomb Core
- ¾" Depth Sound Absorbing Tackable Panels
- Panels are Bonded with Two Layers of Fiberglass Insulation
- Each Panel is Wrapped in Vinyl or 100% Recycled Non-Woven Polyester Fabric
- #18 Gauge Metal Trim Surrounds Each Panel
- Full-Length Aluminum Hinges Join Each 22" Wide Panel Every Four Inches
- Accordion Style Construction Allows Each Panel to Fold 180 Degrees
- Position Control Hinges (top) Help Hold Panels in Place
- Non-Marking Hard Rubber Self-Leveling Casters
- Inner Legs Extend Only 3¹/₂" Per Side with 2" Casters
- 29½" Wide, 36" High Steel End Frame with 3" Locking Casters
- Each Height Includes a 51/2" Space Between the Floor and the Bottom of the Divider
- Required Space for Divider Storage is 2' x 3', with Locking Storage Latch on Each End Frame
- Manufactured Under the Protection of US Patent Number 6892784...Stabilized Portable Room Divider

Shipping Information

Warranty Information

Shipping Point: Lake Zurich, IL 60047 Shipping Rates: Vary Based on Destination Units Ship: Fully Assembled Production Time: Most Orders Ship Within 5-10 Business Days

> Our Representatives Can Answer All of Your Shipping Questions

Lifetime Warranty: Screenflex Portable Partitions Inc. warrants its product to the original purchaser to be free from defects in workmanship and material for the life of the product. This limited warranty does not cover wear from ordinary use, improper storage or installation, abuse, neglect or damage beyond the control of Screenflex. Screenflex's obligation under this warranty shall be limited to the repair or exchange of any part which proves defective. Screenflex makes no other warranty, either expressed or implied, as to any matter whatsoever, including the product condition, its merchantability, or its fitness of any particular use or purpose. Under no circumstances shall Screenflex be liable for incidental or consequential damages. Screenflex reserves the right to modify design, specifications, and materials without prior notice. Patented Products are manufactured by Screenflex Portable Partitions Inc., Lake Zurich, IL.

